

Deep Transfer Learning for Industrial Automation for Smart Vehicles for Data Driven Machine Learning: A Novel Framework

Duan Yanbei

City Graduate School, City University Malaysia
Email: 57368885@qq.com

Dr. Shamsul Arrieya Bin Ariffin

Faculty of Computing and Meta Technology, Sultan Idris Education University, Perak,
Malaysia
Email: shamsul@meta.upsi.edu.my

To Link this Article: <http://dx.doi.org/10.6007/IJARBSS/v14-i10/23254> DOI:10.6007/IJARBSS/v14-i10/23254

Published Date: 16 October 2024

Abstract

This research seeks to explore the intersection of deep transfer learning and industrial automation, with a focus on enhancing smart vehicle technologies. It centers on adapting pre-trained deep learning models to new tasks specifically within the automotive industry, aiming to improve the efficiency and adaptability of industrial processes. The study extensively investigates deep transfer learning techniques for object detection and segmentation, essential for navigating the complex environments encountered by smart vehicles in both 2D and 3D perspectives. A significant emphasis is placed on developing and refining algorithms to accurately identify and localize objects, enhancing the safety and reliability of autonomous driving systems. The research further examines the evaluation and validation of these models under realistic driving conditions, focusing on their accuracy, resilience, and computational efficiency. This includes assessing the models' performance across varied and dynamic environments to ensure they meet the rigorous demands of autonomous driving applications. Practical aspects of implementation in industrial settings are also explored, addressing challenges in data collection, model adaptation, and computational resource management. These efforts are directed towards streamlining the deployment of technologies such as predictive maintenance, anomaly detection, and process automation within smart vehicles. Additionally, the study delves into integrating these advanced techniques with broader Industry 4.0 initiatives within the automotive sector. This exploration aims to leverage cutting-edge technologies to enhance productivity, efficiency, and competitiveness in industrial automation processes, aligning with interconnected, data-driven, and automated manufacturing systems. Overall, this research provides a thorough examination of deep transfer learning within the context of industrial automation,

addressing both theoretical and practical challenges. It seeks to drive forward the capabilities of smart vehicle technologies, contributing to the development of safer, more efficient, and intelligent transportation systems.

Keywords: Deep Transfer Learning, Industrial Automation, Smart Vehicles, Novel Framework.

Introduction

China's rapid economic growth has spurred a dramatic increase in vehicle ownership, reaching a record high. By 2020, vehicle numbers in China were projected to reach 670 million, making it the global leader in vehicle ownership (National Information Center, 2020). This surge has posed significant challenges for urban traffic management, including congestion, accidents, and environmental pollution. In response, many Chinese cities have implemented intelligent transportation systems to alleviate some of these issues. However, these systems often fall short due to inadequate connectivity and cooperation among vehicles, roads, and pedestrians, failing to effectively resolve core traffic problems (Wang & Zhao, 2021). Consequently, the Internet of Vehicles (IoV) and the Vehicle to Everything (V2X) network have become pivotal in advancing technological innovation and industrial development, both within China and internationally. These systems aim to enhance traffic management, increase energy efficiency, and improve safety, all essential for the development of future intelligent transport systems (Li & Kim, 2021).

China has strategically prioritized the Internet of Vehicles (IoV) within its national development plans, aligning it with broader informatization and industrialization efforts. Following the adoption of the "Thirteenth Five-Year Plan," the country has seen gradual but significant advancements in IoV-related policies. This methodical approach aims to spur a period of rapid growth within the sector (Ministry of Industry and Information Technology, 2016). To streamline and enhance these efforts, China established the "Special Committee for the Development of the Internet of Vehicles Industry" in September 2017. This committee's mandate is to formulate development strategies for IoV and tackle the substantial challenges facing its deployment (China Internet Information Center, 2017).

The National Natural Science Foundation of China has also played a pivotal role by launching the "Key Project Cluster for the Fundamental Theory and Key Technologies of the Internet of Vehicles Facing 5G Applications." This initiative seeks to accelerate the development of key technologies essential for the integration of IoV within the upcoming 5G framework, demonstrating the country's commitment to leading in this technological frontier (National Natural Science Foundation of China, 2017).

On the international stage, regions like the European Union, the United States, and Japan have recognized the strategic importance of IoV, incorporating it into their national strategic frameworks with clear goals aimed at enhancing intelligence and network integration (European Commission, 2018; Federal Communications Commission, 2019; Japan Automobile Manufacturers Association, 2018).

In the industrial sector, major Chinese companies such as Huawei, ZTE, and Datang have identified the IoV as a vital component of the 5G era. This recognition has led to significant investments in research and development to leverage IoV technologies for

enhanced communication solutions (Huawei Technologies Co., Ltd., 2019; ZTE Corporation, 2018).

Currently, the primary communication standards for the IoV include IEEE 802.11p and LTE-V2X. The IEEE 802.11p standard was developed and standardized in 2010, focusing on Wireless Access in Vehicular Environments (WAVE), which includes data exchange between high-speed vehicles and between the vehicles and the roadside infrastructure. The LTE-V2X standard, spearheaded by China and standardized by the 3GPP in 2017, focuses on leveraging cellular networks to enable vehicle communication (IEEE, 2010; 3GPP, 2017).

The realm of the Internet of Vehicles (IoV) has experienced a transformative evolution from its inception, where it primarily facilitated basic functionalities like emergency alerts and collision warnings. As information technology has advanced, the scope and complexity of services offered by IoV systems have expanded dramatically. Today, these systems are integral to supporting advanced functionalities such as autonomous driving and in-vehicle entertainment, which demand substantial data transmission capabilities. These modern requirements necessitate communication systems to have ultra-high capacity, ultra-low latency, and high-speed mobile access to effectively manage the increased data load (Zhang & Wang, 2020).

Within the framework of 5G technology, the IoV encompasses a comprehensive network integrating people, vehicles, roads, network connections, and service platforms. This integration results in a heterogeneous network that operates alongside existing cellular networks, creating a complex web of data and communication flows (Alam & Ben Hamida, 2017). The dynamic nature of this network, coupled with the high mobility of vehicles, introduces significant challenges in managing communication traffic, channel information, node density, and overall network conditions. These factors often hinder the IoV's ability to adapt effectively to the rapid changes in vehicle movement and data communication needs, thereby impacting real-time network deployment, scalability of network capacity, and resource utilization efficiency (Kim & Lee, 2019).

To address these challenges, a comprehensive approach is required—one that involves the thorough integration and analysis of the heterogeneous data within the IoV. Such an approach would facilitate the design and deployment of an intelligent, adaptive IoV network that provides seamless connectivity across what is often referred to as the "vehicle-person-road-cloud" system. This network is envisioned to deliver high-capacity, efficient communication services that are tailored to meet the diverse needs and behavioral patterns of IoV users (Park & Lee, 2021).

The current study is strategically aligned with these technological advancements and challenges. It aims to significantly enhance the role of perception in the development of intelligent vehicles, specifically through the application of deep learning methodologies focused on detection and segmentation tasks. Given the complexities and demands imposed by modern vehicular technology, the study has set three interconnected research objectives. First, it seeks to develop and optimize advanced deep learning algorithms for object detection. These algorithms are crucial for the accurate detection and identification of objects, which is essential for precise navigation and localization within the dynamically changing IoV environment.

Secondly, the study aims to advance techniques in semantic and instance segmentation. Enhancing these techniques will enable a more detailed and nuanced understanding of the immediate environment surrounding IoV systems, thereby improving the decision-making capabilities of autonomous vehicles. Lastly, the study focuses on evaluating the performance and reliability of the developed models under real-world scenarios. This evaluation is vital to ensure that the models meet the stringent standards required for safety, reliability, and efficiency within the IoV network.

By achieving these objectives, the study hopes to make substantial contributions to the field of intelligent vehicles. It aims to ensure that the deep learning solutions developed are not only technologically advanced but also practical and effective, meeting the evolving demands of the IoV. This comprehensive approach emphasizes the importance of integrating cutting-edge technological advancements with practical application and testing, setting a benchmark for future developments in the IoV sector.

In recent years, the application of deep learning has profoundly improved the capabilities of intelligent technical systems, influencing a broad range of sectors including industrial automation (Lindemann et al., 2019). In this domain, innovative data-driven methodologies such as predictive maintenance, computer vision, and anomaly detection have significantly enhanced the efficiency and robustness of automated systems (Xu and Liu, 2019; Villalba-Diez and Schmidt, 2019; Lindemann and Fesenmayr, 2019). Despite these advancements, the practical deployment of deep learning technologies encounters several challenges attributed to inherent characteristics of the technology.

One major challenge is the requirement for training datasets to closely mirror the actual operational context in terms of feature space and data distribution. Deep learning algorithms can only model phenomena that are represented in the training data. This necessitates the availability of large and diverse datasets that include rare but critical events, which are often difficult to compile as the complexity of the application increases. Another significant hurdle is the computational intensity involved in retraining deep learning models. Retraining these algorithms to adapt to new data or slight shifts in operational parameters is akin to training a new model from scratch, which demands substantial computational resources and complete access to the original training data. This requirement can be impractical in dynamic industrial environments, where changes in product lines, tools, or processes occur frequently (Zellinger and Grubinger, 2020).

However, these challenges can be mitigated through the application of transfer learning. Transfer learning is a set of techniques designed to reduce both the quantity and quality of data required for effective training and to facilitate the reuse of previously acquired knowledge. Instead of starting each learning task from zero, transfer learning allows systems to build upon learned experiences from previous tasks. This approach not only conserves resources but also accelerates the training process and enhances the flexibility of learning models to adapt to new tasks or conditions without extensive retraining (Canizo and Triguero, 2019).

These techniques are particularly valuable in fostering the development of distributed cooperative learning systems, where knowledge can be transferred and shared

across different tasks and contexts. As such, transfer learning represents a pivotal strategy in overcoming the limitations of traditional deep learning approaches in industrial automation, paving the way for more adaptive, efficient, and scalable intelligent systems.

Literature Review

Sensor-based environmental perception stands as a pivotal component within the domain of intelligent vehicles, empowering them with the ability to comprehend their surroundings and make informed decisions. Extensive research has delved into vision-based vehicle detection, tracking, and behavior analysis, shedding light on the intricacies of on-road surround analysis (Sivaraman et al., 2013). The incorporation of on-board communication units into intelligent vehicles facilitates the sharing of sensor data with cloud computing platforms and other vehicles, underscoring the potential of value-anticipating networking for cooperative perception (Higuchi et al., 2019). Both hardware and software architecture wield substantial influence in the evolution of intelligent vehicles, facilitating precise environment perception, decision-making, and motion control amidst typical traffic scenarios (Gao et al., 2019).

Cooperative perception paradigms, such as those leveraging deep reinforcement learning, have emerged to augment detection accuracy for surrounding objects, with simulation platforms being developed to scrutinize and authenticate these schemes (Aoki et al., 2020). Crucially, sensor-based environmental perception technology, encompassing machine vision, laser radar, and millimeter-wave radar, forms the bedrock for the development of accurate and robust perception algorithms pivotal for driving intelligent vehicles (Wang et al., 2021). Meanwhile, the deployment of collective perception as a communication service for fully autonomous driving mandates thorough evaluation and validation, emphasizing large-scale simulations and communications (Volk et al., 2021). In the realm of autonomous driving, 3D object detection methods assume a critical role in safeguarding the reliability and safety of vehicles by furnishing precise environmental perception (Dai et al., 2021). Moreover, the integration of robotic technology in agriculture has catalyzed the emergence of intelligent vehicles capable of bolstering productivity and competitiveness through automatic obstacle detection and differentiation of traversable areas (Reina et al., 2021). Convergence between vehicular dynamics and wireless communication technologies has paved the way for the development of eco-driving controllers tailored for sustainable transportation, amalgamating advanced model predictive control strategies to curtail driving spacing and bolster environmental sustainability (Wang et al., 2022).

Sensor-based environmental perception is critical for the advancement of intelligent vehicles, providing crucial information for decision-making and ensuring safety. Recent studies highlight the importance of developing and integrating advanced sensors like LIDAR, radar, and cameras to enhance the environmental perception capabilities of intelligent vehicles.

One significant study discusses the role of machine vision, laser radar (LIDAR), and millimeter-wave radar in intelligent vehicle perception technology. These sensors are pivotal in target detection, recognition, and the fusion of sensor data, which are essential for

functions such as lane detection, adaptive cruise control (ACC), and autonomous emergency braking (AEB) (Wang, Han, Tian, & Guan, 2021)

Another study introduces a local environment model based on multi-sensor fusion, which includes LIDAR, millimeter-wave radar, cameras, and ultrasonic radars to detect and track dynamic targets effectively. This model aims to improve the robustness and accuracy of vehicle perception systems, demonstrating significant improvements in real-time multi-target dynamic tracking (Lian, Pei, & Guo, 2021).

These research efforts underscore the dynamic nature of environmental perception in intelligent vehicles, emphasizing the necessity for continuous innovation in sensor technology and data fusion techniques. This comprehensive approach ensures that intelligent vehicles can navigate safely and efficiently, adapting to complex and changing driving environments.

Lastly, a visualization pipeline predicated on 3D reconstruction offers a comprehensive and intuitive depiction of autonomous driving scenes, conferring benefits to drivers, intelligent vehicles, AR-HUD, and control systems alike (Bai et al., 2022). Table 2.2 shows the pivotal role and various aspects of sensor-based environmental perception in intelligent vehicles, highlighting the contributions from different studies and the continuous need for innovation in sensor technology and data fusion techniques.

Table 1

Summary Table of Sensor-Based Environmental Perception in Intelligent Vehicles

Aspect	Details	References
Importance	Sensor-based environmental perception is critical for intelligent vehicles to comprehend their surroundings and make informed decisions.	Sivaraman et al., 2013
Vehicle Detection and Tracking	Vision-based vehicle detection and tracking are crucial for on-road surround analysis.	Sivaraman et al., 2013
Cooperative Perception	On-board communication units facilitate data sharing with cloud platforms and other vehicles, enabling cooperative perception.	Higuchi et al., 2019
Architecture Influence	Both hardware and software architectures significantly influence precise environment perception, decision-making, and motion control.	Gao et al., 2019
Deep Reinforcement Learning	Enhances detection accuracy for surrounding objects, supported by simulation platforms for validation.	Aoki et al., 2020
Sensor Technology	Includes machine vision, LIDAR, and millimeter-wave radar, forming the foundation for robust perception algorithms.	Wang et al., 2021

Collective Perception	Requires thorough evaluation and validation for autonomous driving, emphasizing large-scale simulations.	Volk et al., 2021
3D Object Detection	Critical for ensuring vehicle reliability and safety by providing precise environmental perception.	Dai et al., 2021
Robotic Technology in Agriculture	Integrates automatic obstacle detection and differentiation of traversable areas, enhancing productivity.	Reina et al., 2021
Eco-Driving Controllers	Developed through the convergence of vehicular dynamics and wireless communication technologies to promote sustainable transportation.	Wang et al., 2022
Advanced Sensors	The development and integration of sensors like LIDAR, radar, and cameras are crucial for enhancing environmental perception capabilities.	Wang, Han, Tian, & Guan, 2021
Multi-Sensor Fusion	Combines LIDAR, radar, cameras, and ultrasonic radars for improved dynamic target tracking and robustness in vehicle perception systems.	Lian, Pei, & Guo, 2021
3D Reconstruction Visualization	Offers a comprehensive and intuitive depiction of autonomous driving scenes, aiding drivers and control systems.	Bai et al., 2022

Deep Transfer Learning (DTL) is an advanced machine learning technique that combines the strengths of deep learning and transfer learning to enhance model performance and efficiency by utilizing pre-trained networks and transferring knowledge from one domain to another. The fundamental principle of DTL is to apply knowledge gained from one task (source domain) to improve learning and performance in a different but related task (target domain) (Yu et al., 2022).

One of the primary advantages of DTL is its ability to significantly reduce the need for extensive labeled data by reusing knowledge from pre-trained models. This reduction is particularly beneficial in scenarios where labeled data is scarce or expensive to obtain (Iman et al., 2022). Additionally, DTL lowers computational costs associated with training deep neural networks from scratch. By leveraging pre-trained models, it becomes feasible to implement deep learning models on edge devices with limited computational resources (Guo et al., 2023). Furthermore, DTL often leads to improved performance on target tasks by utilizing the rich feature representations learned from large datasets in the source domain (Chen et al., 2022).

In DTL, pre-training and fine-tuning are common approaches. This involves pre-training a deep neural network on a large source dataset and then fine-tuning the model on the target dataset, helping to retain the general features learned during pre-training while adapting to the specificities of the target task (Yu et al., 2022). Domain adaptation is another key concept, which involves adjusting the model to account for differences between the

source and target domains. Techniques such as Maximum Mean Discrepancy (MMD) and Conditional Distribution Adaptation are employed to minimize the domain shift (Wang et al., 2020). Adversarial training, specifically Adversarial Deep Transfer Learning (ADTL), employs generative models like Generative Adversarial Networks (GANs) to enhance the robustness of feature transfer by simulating challenging conditions during training (Guo et al., 2023).

Recent advances in DTL include Sparse DTL, which focuses on transferring only the most essential parameters from the source model. This approach is suitable for deployment on low-computing-power devices and in edge computing environments, helping to reduce model size while retaining transfer efficiency (Chen et al., 2021). Continual and progressive learning techniques, such as EXPANSE, involve progressively expanding the pre-trained model by adding new nodes and layers to accommodate target domain data, thus avoiding issues of catastrophic forgetting and model bias (Iman et al., 2022). Fusion models, which combine multiple feature extraction techniques into a unified model, can enhance classification performance in data-intensive applications like remote sensing. These models integrate various deep learning architectures to maximize feature utilization (Hilal et al., 2022).

Despite its advantages, DTL faces several challenges. One of the primary challenges is domain sensitivity, where the lower layers of the model are sensitive to domain-specific features, limiting their transferability. Developing more robust feature extraction methods that are less domain-dependent is an ongoing area of research (Chen et al., 2022). Another challenge is negative transfer, where the source and target domains are not sufficiently related, leading to a degradation in performance rather than improvement. Identifying and mitigating negative transfer effects is crucial for the effective application of DTL (Guo et al., 2023). Additionally, while DTL reduces the need for extensive training data, the process of fine-tuning and domain adaptation can still be computationally intensive. Research is ongoing to develop more efficient algorithms and hardware optimizations to support DTL on a wider range of devices (Iman et al., 2022).

Deep Transfer Learning represents a significant advancement in the field of machine learning. It provides a means to leverage pre-existing knowledge, improving learning efficiency and model performance across various domains. The continued development and refinement of DTL techniques promise to enhance their applicability and effectiveness in industrial and other real-world applications. As research progresses, overcoming the current challenges will pave the way for broader and more impactful uses of DTL in the future.

Methodology

The practical deployment of deep learning technologies within industrial automation presents a myriad of challenges, primarily due to the dynamic and complex environments these systems operate in. Traditional deep learning models necessitate extensive datasets that are both comprehensive and representative of the numerous scenarios encountered in industrial settings. However, obtaining such datasets is often impractical because of the vast array of possible operational states and the rarity of critical events that must be captured for effective model training. Additionally, the computational intensity required to train these

models poses significant constraints, particularly in environments where resources are limited. This research aims to address these challenges by exploring transfer learning techniques. Transfer learning can leverage pre-trained models and adapt them to new tasks, thus mitigating issues related to data scarcity and the heavy computational demands of training.

The primary objectives of this research are multi-faceted. First, the study aims to develop and optimize deep learning algorithms for object detection and segmentation, specifically tailored to meet the needs of industrial automation. This involves creating models that can accurately identify and segment objects within the dynamic environments typical of industrial settings. Second, the research seeks to integrate transfer learning techniques that enable these models to adapt efficiently to new tasks and environments. By leveraging knowledge from pre-trained models, the goal is to enhance the adaptability and efficiency of the algorithms. Finally, the study will evaluate the performance and reliability of these models in real-world scenarios, focusing on metrics such as accuracy, resilience, and computational efficiency. This comprehensive approach ensures that the developed models are not only theoretically sound but also practically viable in industrial applications.

In the literature review phase, a thorough examination of existing research on deep learning, transfer learning, and their applications in industrial automation is conducted. This review encompasses foundational theories of deep learning and its evolution, the principles of transfer learning, and the current state-of-the-art techniques. The key areas of focus include predictive maintenance, where deep learning models are used to predict equipment failures before they occur; computer vision applications, which involve the use of deep learning for tasks such as object detection and segmentation; anomaly detection, which aims to identify unusual patterns that may indicate a fault or malfunction; and distributed cooperative learning systems, which leverage multiple devices working together to improve learning outcomes.

The data collection phase is critical for gathering datasets that capture the operational nuances and challenges inherent in industrial automation. This involves systematically collecting data from various sources, including sensor data, manufacturing logs, equipment telemetry, and quality control metrics. Ensuring that these datasets cover a wide range of operational scenarios, including rare but pivotal events, is essential. This comprehensive approach to data collection aims to provide a robust foundation for training deep learning models.

Once the data is collected, it undergoes rigorous preprocessing to enhance its quality and suitability for training deep learning models. Data cleaning involves identifying and removing erroneous or redundant data points, thus improving the overall quality of the dataset. Normalization ensures that the data adheres to consistent scales and distributions, preventing biases that could impede model performance. Additionally, data augmentation techniques, such as data synthesis or oversampling, are employed to enrich the dataset, particularly in cases where certain classes or events are underrepresented. This meticulous preprocessing ensures that the data is fit for training robust and effective deep learning models.

In this phase, deep learning models are developed with a focus on the specific needs of industrial automation. These models are designed to perform tasks such as object detection and segmentation with high accuracy and efficiency, tailored to the dynamic environments typical of industrial settings. Rigorous experiments are designed to evaluate the effectiveness of transfer learning in mitigating the challenges posed by data availability and computational intensity. These experiments use both benchmark datasets and real-world industrial datasets to assess the performance of transfer learning models compared to traditional deep learning approaches.

The performance of transfer learning models is measured using various metrics, including accuracy, precision, recall, and computational efficiency. Accuracy measures the overall correctness of the model's predictions, while precision assesses the proportion of true positive predictions among all positive predictions. Recall evaluates the proportion of true positive predictions among all actual positive instances. Computational efficiency analyzes the model's resource consumption and speed during training and inference. These metrics provide a comprehensive evaluation of the models' performance.

Statistical analyses are performed to identify patterns, trends, and insights from the experimental data. Techniques such as regression analysis, hypothesis testing, and model comparison are used to evaluate the performance of the transfer learning models. The findings are interpreted in the context of the research objectives. This involves discussing how transfer learning techniques have addressed the identified challenges and the extent to which they have enhanced the efficiency, scalability, and adaptability of deep learning models in industrial automation.

The practical benefits of transfer learning in enhancing the efficiency, scalability, and adaptability of deep learning models are discussed in detail. This includes an analysis of how these techniques have improved model performance, reduced training times, and facilitated the deployment of intelligent systems in dynamic industrial environments. The research concludes by summarizing the key findings and their implications for the field of industrial automation and intelligent technical systems. The study highlights the success of transfer learning in overcoming the limitations of traditional deep learning approaches and emphasizes its potential for future applications.

Future research avenues are proposed to further explore the potential of transfer learning in addressing emerging challenges in industrial automation. These include investigating advanced transfer learning techniques for a wider range of industrial applications, exploring the integration of transfer learning with other emerging technologies such as federated learning and edge computing, and conducting longitudinal studies to assess the long-term impact of transfer learning on industrial automation.

References

- Abbate, S., Centobelli, P., Cerchione, R., Oropallo, E., & Riccio, E. (2023). Blockchain technology for embracing Healthcare 4.0. *IEEE Transactions on Engineering Management*.<https://doi.org/10.1109/TEM.2022.3212007>
- Adams, C. (2020). A privacy-preserving blockchain with fine-grained access control.
- Agarwal, R., Gao, G., DesRoches, C., & Jha, A. K. (2010). The digital transformation of healthcare: Current status and the road ahead. *Information Systems Research*.
- Agbo, C. C., Mahmoud, Q. H., & Eklund, J. M. (2019). Blockchain technology in healthcare: A systematic review. *Healthcare*, 7(2), 56.
- Aggarwal, S., Kumar, N., Alhussein, M., & Ghulam, M. (2021). Blockchain-based UAV path planning for Healthcare 4.0: Current challenges and the way ahead. *IEEE Network*.
- Aileni, R. M., & Suciu, G. (2020). IoMT: A blockchain perspective.<https://doi.org/10.1109/IF.2020.9311111>
- Akhter, A. F. M. S., Ahmed, M., Shah, A. F. M. S., Anwar, A., Kayes, A. S. M., & Zengin, A. (2021). A blockchain-based authentication protocol for cooperative vehicular ad hoc network. *Sensors* (Basel, Switzerland).
- Al Sibahee, M. A. (2020). Lightweight secure message delivery for E2E S2S communication in the IoT-cloud system. *IEEE Access*, 8, 218331-218347.<https://doi.org/10.1109/ACCESS.2020.3041809>
- Alam, M., & Ben Hamida, E. (2017). Surveying wearable human assistive technology for life and safety critical applications: Standards, challenges and opportunities. *Sensors*, 17(5), 636.
- Ali Pour, A. (2022). Helper data masking for physically unclonable function-based key generation algorithms. *IEEE Access*, 10, 40150-40164.<https://doi.org/10.1109/ACCESS.2022.3165284>
- Ali Pour, N., Dara, R., & Bigham, B. S. (2022). Decentralization and fairness in healthcare with blockchain. *Healthcare Technology Letters*, 9(1), 14-21.<https://doi.org/10.1049/htl2.12010>
- Ali Syed, T. (2019). A comparative analysis of blockchain architecture and its applications: Problems and recommendations. *IEEE Access*, 7, 176838-176869.<https://doi.org/10.1109/ACCESS.2019.2957660>
- Ali, I., & Kannan, D. (2022). Mapping research on healthcare operations and supply chain management: A topic modelling-based literature review. *Annals of Operations Research*.<https://doi.org/10.1007/s10347-022-00450-0>
- Ali, M. S. (2018). Enabling a blockchain-based IoT edge. *IEEE Internet of Things Magazine*, 1(2), 24-29.<https://doi.org/10.1109/IOTM.2019.1800024>
- Ali, S. I. M. (2022). A blockchain-based models for student information systems. *Egyptian Informatics Journal*, 23(2), 187-196.<https://doi.org/10.1016/j.eij.2021.12.002>
- Aljaloud, A., & Razzaq, A. (2023). Modernizing the legacy healthcare system to decentralize platform using blockchain technology. *Technologies* (Basel).<https://doi.org/10.3390/technologies11040084>
- Alkadi, O. (2020). A review of intrusion detection and blockchain applications in the cloud: Approaches, challenges and solutions. *IEEE Access*, 8, 104893-104917.<https://doi.org/10.1109/ACCESS.2020.2999715>
- Alladi, T. (2021). HARCI: A two-way authentication protocol for three entity healthcare IoT networks. *IEEE Journal on Selected Areas in Communications*, 39(2), 361-369.<https://doi.org/10.1109/JSAC.2020.3020605>

- Althaus, S. L. (2022). Costly calculations: A theory of war, casualties, and politics. *Perspectives on Politics*, 20(3), 1140-1142. <https://doi.org/10.1017/S153759272200175X>
- Aman, M. N. (2017). Mutual authentication in IoT systems using physical unclonable functions. *IEEE Internet of Things Journal*, 4(5), 1327-1340. <https://doi.org/10.1109/JIOT.2017.2703088>
- Amanat, A., Rizwan, M., Maple, C., Bin Zikria, Y., Almadhor, A. S., & Kim, S. W. (2022). Blockchain and cloud computing-based secure electronic healthcare records storage and sharing. *Frontiers in Public Health*, 2022(10). <https://doi.org/10.3389/fpubh.2022.672340>
- Ammad, M. (2020). A novel fog-based multi-level energy-efficient framework for IoT-enabled smart environments. *IEEE Access*, 8, 150010-150026. <https://doi.org/10.1109/ACCESS.2020.3010157>
- Angarita, R., Dejous, A., & Blake, P. (2019). From centralized to decentralized blockchain-based product registration systems: The use case of lighting and appliances. *IEEE INFOCOM 2019 - IEEE Conference on Computer Communications*.
- Aoki, S., Higuchi, T., & Altintas, O. (2020). Cooperative Perception With Deep Reinforcement Learning For Connected Vehicles.