

An Engineering Review of the Microsoft Kinect System for Global Anthropometry Applications

Mohd Fa'iz Bin Wahid^{1*}, Shaiful Anwar Bin Ismail²

¹Faculty of Industrial and Manufacturing Technology and Engineering, Universiti Teknikal Malaysia Melaka (UTeM), Hang Tuah Jaya, 76100 Durian Tunggal, Melaka, Malaysia, ²Faculty of Industrial and Manufacturing Technology and Engineering, Universiti Teknikal Malaysia Melaka (UTeM), Hang Tuah Jaya, 76100 Durian Tunggal, Melaka, Malaysia

*Corresponding Author Email: mohdfaiz.wahid@utem.edu.my

DOI Link: <http://dx.doi.org/10.6007/IJARBSS/v16-i2/27362>

Published Date: 28 February 2026

Abstract

Anthropometry is the study of human body measurements and is very important for fields like ergonomics, clothing design, and healthcare. Usually, people measure the body manually, but this method is slow and takes a lot of effort. While 3D body scanners are better and faster, they are also very expensive for many users. This paper provides an engineering review of the Microsoft Kinect as a low-cost alternative for global anthropometry. We discuss the changes from Kinect v1 to Azure Kinect, specifically on the sensor accuracy and how it detects body joints. This review is useful for researchers and small companies that need 3D body data but have a small budget. Overall, this study shows that the Kinect system is still an effective and cheap tool for digital anthropometry today.

Keywords: Microsoft Kinect, 3D Body Scanning, Digital Anthropometry, Ergonomics, Time-of-Flight

Introduction

Anthropometry is about measuring the physical parts of the human body, and it is essential for modern product design and health checking. Today, with the growth of online shopping and digital health, industries need digital body data more than ever. However, traditional manual methods using measuring tapes are no longer enough because they are slow and can have many human errors. Also, measuring by hand requires physical contact, which some people might find uncomfortable.

Although high-end 3D body scanners are the best solution, the price is too high for many small businesses and researchers. Because these scanners can cost tens of thousands of dollars, many people cannot afford this technology. This is why we need to look at cheaper alternatives. The Microsoft Kinect was originally for video games, but it became popular for research because it can do 3D scanning at a very low price.

This review is important because it looks at the technical side and the practical use of the Kinect system from the early versions until now. By looking at its performance, this paper explains why the Kinect is a reliable tool for body measurement globally.

Significance of the Study

This study on the Microsoft Kinect for anthropometry is important for several groups. First, for academic researchers, it shows that a cheap sensor like Kinect can be a good scientific tool for collecting data without needing big research grants. Second, for the clothing industry, this review helps them understand how to use Kinect for "virtual fitting rooms." This can help customers find the right size when shopping online and reduce the problem of returning clothes.

Besides that, this technology is also helpful for public healthcare. Since the Kinect is portable and easy to carry, it can be used for health screenings in rural areas, such as checking for obesity or spinal problems in children. This shows that we can solve real-world problems using existing technology without spending too much money.

From Manual Measurements to 3D Scanning

Manual anthropometry involves touching the subject and measuring parts of the body one by one (Wang, 2011). It is accurate for simple lengths, but it is hard to measure thousands of people this way (Ntintakis et al., 2019).

3D body scanning changed this by using light to create a "point cloud" of the body surface. This is very fast and can capture complex shapes. However, many professional 3D scanners are expensive and require the subject to wear tight clothes, which can be awkward for some people (Park et al., 2024). The Microsoft Kinect solved these problems by being portable and much more affordable.

Technical Architecture of the Kinect Sensor

How it Works: Structured Light vs. Time-of-Flight (ToF)

The first Kinect (v1) used "structured light." It projected infrared dots and calculated depth based on how the dots were distorted. However, this didn't work well in sunlight. Newer versions, like Kinect v2 and Azure Kinect, use "Time-of-Flight" (ToF) technology. These sensors measure how long it takes for light to bounce back, which is more accurate and works better in different lighting (Sosa-León & Schwering, 2022; Wang et al., 2024).

Table 1

Technical specifications of Microsoft Kinect sensor versions

Feature	Kinect v1	Kinect v2	Azure Kinect
Technology	Structured Light ³³	Time-of-Flight (ToF) ⁴	Advanced ToF ⁵
Depth Resolution	320 x 240 ⁶	512 x 424 ⁷	Up to 1024 x 1024 ⁸
RGB Camera	640 x 480 (SD) ⁹	1920 x 1080 (HD) ¹⁰	3840 x 2160 (4K) ¹¹¹¹
Main Strength	Very cheap ¹²	Good for general use ¹³	High precision ¹⁴¹⁴




Figure 1: Comparison of depth map resolution and point cloud density between Kinect v1, v2, and Azure Kinect (Tölgyessy et al., 2021).

Skeletal Tracking

The Kinect is not just a camera; it has a Software Development Kit (SDK) that can "see" a human skeleton. The Azure Kinect can track 32 body joints in real-time (Wang et al., 2024). This allows the computer to calculate arm lengths, leg lengths, and posture without needing any physical markers on the person (Horejsi et al., 2012).





Figure 2: The 32-joint skeletal tracking architecture provided by the Azure Kinect SDK for automated anatomical landmark detection (Wang et al., 2024).

Data Capture and Processing Methods

To get good body scans, researchers use different setups. Some use one sensor and a rotating platform so the person can be scanned from all sides (Krzyszowski et al., 2023). Others use three or more sensors to capture the whole body at once (Park et al., 2024).

The raw data comes out as a "point cloud," which needs to be cleaned and aligned using computer algorithms like ICP (Park et al., 2024). Some new methods even allow the computer to estimate the body size even if the person is wearing normal clothes (Park et al., 2024).

Performance and Accuracy

Is the Kinect accurate enough? Studies show that for many body segments, the Azure Kinect results are very close to medical X-ray scans (DXA) (Wang et al., 2024). It has a high correlation (above 0.85) for limb lengths. It is also 96% accurate in detecting body orientation (Sosa-León & Schwering, 2022).

Limitations to Consider

There are a few things to be careful about:

- **Heat Issues:** Sensors like the Azure Kinect need to "warm up" for about 40 to 50 minutes to get the most stable results (Tölgyessy et al., 2021).
- **Occlusion:** If one body part is hiding another (like sitting down), the sensor might lose the data.
- **Fixed Proportions:** This is the biggest problem. The software often assumes everyone has the same body proportions (e.g., if you are tall, your arms must be a certain length) (Wang et al., 2024). This means it might not see small differences between different people.

Global Applications

The Kinect is used in many industries. In **ergonomics**, it is 250 times cheaper than professional motion capture systems (Horejsi et al., 2012). It helps designers check if a worker's posture is safe using tools like RULA or OWAS.

In the **apparel industry**, it helps people find the right size of clothes (Rissiek, 2025). In **healthcare**, it is used to check for back problems like scoliosis without using harmful X-rays (Roy et al., 2019). It has even been used for facial mapping in dental work with very small errors (Junqueira-Júnior et al., 2019).

Discussion: The Role of Kinect in Anthropometry

Based on our review, the Kinect system has clear strengths and weaknesses, as shown in the table below:

Table 2

Comparison of advantages and disadvantages of Kinect-based anthropometry

Advantages	Disadvantages
Low Cost: Much cheaper than lab-grade scanners (Horejsi et al., 2012).	Less Precision: Not as accurate as sub-millimeter laser scanners.
Speed: Can scan a person in seconds.	Software Bias: Assumes standard body proportions (Wang et al., 2024).
Portability: Can be used in offices or clinics, not just labs.	Light Sensitivity: Does not work well in bright sunlight ¹⁷ .
Scan with Clothes: Can estimate body shape under clothing (Park et al., 2024).	Occlusion: Hard to scan hidden body parts.

In summary, the Kinect is not a total replacement for expensive scanners. However, it is a "good enough" tool for many jobs. It is perfect for fast prototyping, teaching, and collecting data from many people where you don't need millimeter-level accuracy.

Conclusion

The Microsoft Kinect has democratized 3D scanning. It has made body measurement fast, easy, and cheap for designers and researchers all over the world. While it has some software limitations, it is still a powerful tool for ergonomics and product design. In the future, better AI will likely fix the current problems, making it even more accurate for different populations.

References

- Arellano-González, J. C., Medellín-Castillo, H. I., Hernández-Molinar, R. I., Plascencia-Mora, H., & Gonzalez, A. (2023). Determination of Anthropometric Lengths of Body Segments Using Machine Vision Systems. *Machines*, 11(3), 369.
- Horejsi, P., Gorner, T., Kurkin, O., Polasek, P., & Januska, M. (2012). Using Kinect technology equipment for ergonomics. *MM Science Journal*.
- Junqueira-Júnior, A. F., et al. (2019). Accuracy evaluation of tridimensional images performed by portable stereophotogrammetric system. *Revista de Odontologia da UNESP*, 48.
- Krzeszowski, T., Dziadek, B., França, C., Martins, F., Gouveia, É. R., & Przednowek, K. (2023). System for Estimation of Human Anthropometric Parameters Based on Data from Kinect v2 Depth Camera. *Sensors*, 23(7), 3459.
- Ntintakis, I. (2019). Intelligent recommendation system for customized ergonomic furniture based on 3D human body scanning. *Procedia CIRP*, 81, 1133–1138.
- Örücü, S., Işık, B., Erdağı, K., Osmanoğlu, U. Ö., & Özbay, E. (2025). Kinect-based anthropometric measurements: a comparative analysis of traditional methods in youth female weightlifters. *BMC Sports Science, Medicine and Rehabilitation*, 17(1).
- Park, B.-K. D., Jung, H., Ebert, S. M., Corner, B. D., & Reed, M. P. (2024). Efficient Model-Based Anthropometry under Clothing Using Low-Cost Depth Sensors. *Sensors*, 24(5), 1350.
- Roy, S. (2019). A Noninvasive 3D Body Scanner and Software Tool towards Analysis of Scoliosis. *BioMed Research International*, 2019.

- Sarbolandi, H., Lefloch, D., & Kolb, A. (2015). Kinect range sensing. *Computer Vision and Image Understanding*, 139, 1-20.
- Sosa-León, V. A. L., & Schwering, A. (2022). Evaluating Automatic Body Orientation Detection for Indoor Location from Skeleton Tracking Data to Detect Socially Occupied Spaces Using the Kinect v2, Azure Kinect and Zed 2i. *Sensors*, 22(10), 3798.
- Tarabini, M. (2018). Measurement of the hand dimensions using the Microsoft Kinect V2. *2018 IEEE International Symposium on Medical Measurements and Applications (MeMeA)*.
- Tölgyessy, M., Dekan, M., & Chovanec, L. (2021). Skeleton Tracking Accuracy and Precision Evaluation of Kinect V1, Kinect V2, and the Azure Kinect. *Applied Sciences*, 11(12), 5756.
- Wang, S.-A., Lu, M.-H., Lee, A.-T., Chen, C.-Y., & Lee, L.-W. (2024). Performance of Microsoft Azure Kinect DK as a tool for estimating human body segment lengths. *Scientific Reports*, 14(1), 15811.
- Wang, Y. J. (2011). 3D body scanning – Knowledge and References. In J. Fan, W. Yu, & L. Hunter (Eds.), *Clothing Appearance and Fit: Science and Technology*. Woodhead Publishing.
- Yang, L., Zhang, L., Dong, H., Alelaiwi, A., & Saddik, A. E. (2015). Evaluating and Improving the Depth Accuracy of Kinect for Windows v2. *IEEE Sensors Journal*, 15(8), 4275-4285.
- Zhang, Z. (2012). Microsoft kinect sensor and its effect. *IEEE MultiMedia*, 19(2), 4–10.